

PRODUCT
CATALOGUE
2026

FOWRASS
FABRICATION
SHEEP & CATTLE HANDLING EQUIPMENT



 www.fowrass.com

 sales@fowrass.com



INDEX

SHEEP HANDLING EQUIPMENT	(1-5)	MOBILE HANDLING EQUIPMENT	(17-20)
Gate In Frame	2	Compact Trailer Package	18
2- Way Shedding Gate	2	Deluxe Trailer Package	18
Bolt Down Post	2	Water Bowser And Integrated Trough	18
Removable Post	2	COMPACT TRAILER PACKAGE	19
Heavy Duty Sheep Hurdle	3	Aluminium Concertina Hurdles	20
Guillotine Gate	3	Aluminium Sheeted Hurdle	20
Wall Bracket	3	Aluminium Gate	20
Race Gate	3	Concertina Hurdles	21
U- Frame	4	Sliding Hurdles	21
Sheeted Hurdle	4	Extension Panels	21
Shedding Hurdle	4	Field Gate	21
Connection Pins	4	8 Railed Heavy Duty Sheep Hurdle	21
Race Footbath	5	DELUXE TRAILER PACKAGE	22
Sheep Footbath	5	Lamb Creep Shelter	23
3 - Way Shedding Gate	5	Lamb Weigh Scales 3 Way Shedding	23
Anti- Backing Gate	5	Creep Feeder	23
		Sheep Handler	23
LAMBING EQUIPMENT	(6-8)	CATTLE HOUSING EQUIPMENT	(24-28)
Drinker Hurdles	7	Calving Gate	25
Lugged Hurdles	7	Cattle Hurdle	25
Creep Hurdles	7	Adjustable Heavy Rail Gate	25
Lamb Adopter	7	10ft Cattle Gate In Frame	25
Clipping Gate	8	Sliding Gate	26
D- Loop Hurdle	8	Cattle Vet Cage	26
Hay Basket	8	Cattle Gate In Frame	26
Connection Pin	8	Cattle Stockboard Panels	26
		Cattle Curved Panels	27
HOUSING EQUIPMENT	(9-11)	Calf Hurdle	27
Walkthrough Feeder	10	Connection Pin	27
Single Sided Diet Feeder	10	Calf Hurdle Wiuth Gate	27
Lambproof Feed Barrier	10	Agrished	28
15 Ft Adjustable Feed Barrier with Gate	11	Happy Calf House	28
15 Ft Adjustable Feed Barrier	11	HAPPY CALF HOUSE	29
		Fixed Sheep Handling Equipment	30
SHEEP FEED BARRIER	12	Sheep Race	30
		Fixed Cattle Handling Equipment	30
FLOORING EQUIPMENT	(13-15)	FIXED CATTLE HANDLING SYSTEM	31
Plastic Slats	14	Security Camera	32
Fibre Glass Beams	14	Rotating Cow Brush	33
Plastic Legs	14	Static Cow Brush	33
Angle Iron	14	Automatic Lamb Milk Feeder	34
Manure Scrapper Machine	15	Static Sheep Conveyer	35
Slats	16		
		MISCELLANEOUS ITEMS	(36)
		Plastic Drinker Bowl	36
		Mdpe Tee	36
		Tee 13mm Triple Barb Tee	36
		Flexible Steel Hose Pipe	36
		Rotating Cow Brush	36
		Livestock Monitorig Camera	36
		Steel Drinker Bowl	36
		Cattle Drinker Bowl	36
		Livestock Building Fan	36
		Bottle Jack	36
		Plastic Feeding Trough	36
		Weighing Cells	36

FOWRASS
FABRICATION


Here at Fowrass, We are specialists in sheep handling equipment. We provide a wide variety of Sheep Handling Equipment to suit every farmers livestock needs. Talk to one of our sheep feeder specialists today who are on hand to offer advice & recommendations or to answer any queries you may have. It is advised that you order and collect if viable or to utilise our delivery service.

www.fowrass.com

**SHEEP
HANDLING
EQUIPMENT**

SHEEP
HANDLING
EQUIPMENT





GATE IN FRAME

Ours gate in frame is a simple gate designed for ease of access to the sheep pen..

- Heavy duty Gate in frame
- Ideal for Sheep handling systems, housing ewes or calf pens
- Spring Lever Handle
- Hot dipped galvanised finish.
- 10mm thick joining slotted lugs to fit 10mm to 18mm connecting pin for higher strength.


Item Code	Specifications	Price
2'GIF	600mm L x 1000mm H	£100.00
3'GIF	915mm L x 1000mm H	£137.50
4'GIF	1220mm L x 1000mm H	£137.50
6'GIF	1830mm L x 1000mm H	£165.00
8'GIF	2440mm L x 1000mm H	£192.50

HEAVY DUTY SHEEP HURDLE

Ideal for sheep handling systems, making pens, holding ewes or calf pens.

- Hot dip galvanized finish.
- Available in 2ft, 4ft, 6ft, 8ft, and 10ft.
- made up of high quality steel.
- Length is measured from the Centre of lugs to the Centre of lugs.


Item Code	Specifications	Price
2'HDSH	600mm L x 1000mm H	£49.50
4'HDSH	1220mm L x 1000mm H	£60.50
6'HDSH	1830mm L x 1000mm H	£71.50
8'HDSH	2440mm L x 1000mm H	£82.50
10'HDSH	3050mm L x 1000mm H	£93.50



2-WAY SHEDDING GATE

Two way shedding gate to make it easier when sorting sheep.

- Hot dip galvanized finish.
- Designed to easily allow the operator to divert animals into two pens as they exit the race
- Quick acting operating handle for efficient drafting operation
- Handle will locate in an open position if a single direction of animals is required.
- It is easily locked closed if being used as a stop gate.



Item Code	Specifications	Price
18"3WSG	600mm L x 1000mm H	£220.00

GUILLOTINE GATE

Our guillotine gate is designed for fast and efficient control and movement of sheep.

- Vertical rails to prevent sheep standing on it.
- Fits with our sheep hurdles.
- Connection lugs on 2 sides.
- Rope use for control.
- Hot dip galvanised.



Item Code	Specifications	Price
18"GG	450mm W x 1830mm H	£165.00
36"GG	900mm W x 1830mm H	£198.00

BOLT DOWN POST

To be used when connecting hurdles.

- Hot dip galvanized finish.
- 10mm Connection lugs on 3 sides.
- Handle will locate in an open position if a single direction of animals is required.
- 8mm base plate 150x150mm for uniform strength.



Item Code	Specifications	Price
BDP	50x50mm tube x 1000mm H	£49.50

WALL BRACKET

Ideal for sheep handling systems, making pens, holding ewes or calf pens.

- Hot dip galvanized finish.
- These are 800mm high.
- Made up of 8mm thick quality steel.
- 10mm thick joining slotted lugs to fit 10mm to 18mm connecting pin for good strength.

Item Code	Specifications	Price
WB	50mm W x 800mm H	£11.00



REMOVABLE POST

To be used when connecting hurdles.

- Hot dip galvanized finish.
- 10mm Connection lugs on 3 sides.
- Handle will locate in an open position if a single direction of animals is required.
- 60mm Strong sleeve 300mm long for uniform strength.



Item Code	Specifications	Price
RP	50x50mm tube x 1000mm H	£60.50




RACE GATE

Ideal for sheep handling systems, Sheep Race, etc.

- Hot dip galvanized finish.
- Drilled Base for adjoining hurdles.
- Hurdles are 1000mm high.
- Spring Lever Handle made up of high quality steel.
- 10mm thick joining slotted lugs to fit 10mm to 18mm connecting pin for good strength.

Item Code	Specifications	Price
2'RG	600mm L x 1000mm H	£132.00



U-FRAME

Ours U - frames are a perfect simple way of keeping the race upright and apart.

- Hot dip galvanized finish.
- Available in 2ft,4ft,6ft,8ft.
- Made up of high quality steel.
- Connection lugs on three sides.


Item Code	Specifications	Price
2'HDSH	600mm L x 1000mm H	£55.00
4'HDSH	1220mm L x 1000mm H	£66.00
6'HDSH	1830mm L x 1000mm H	£77.00
8'HDSH	2440mm L x 1000mm H	£88.00

RACE FOOTBATH

Ours Race footbath is a simple easy structure to get sheep through the footbath.

- Hot dip galvanized finish.
- High sides to prevent splashing.
- Mesh across the bottom to help the sheep grip.

Item Code	Specifications	Price
8'RF	450mm W x 2440mm L	£220.00





SHEETED HURDLE

Sheeted hurdle are a sturdy strong hurdle whilst still being safe.

- Sheeted with galvanized steel to add extra strength
- Ideal for the use in races
- Custom made
- Hot dipped galvanized finish.
- Black PVC Sheet

Item Code	Specifications	Price
2'SH	600mm L x 1000mm H	£93.50
4'SH	1220mm L x 1000mm H	£104.50
6'SH	1830mm L x 1000mm H	£115.50
8'SH	2440mm L x 1000mm H	£132.00
10'SH	3050mm L x 1000mm H	£159.50




SHEEP FOOTBATH

Ours Sheep footbath is a simple easy structure to get sheep through the footbath.

- The base of the footbath is lined with welded mesh allowing hooves to open to maximise penetration of the foot bathing solution.
- Hot dipped galvanized finish.
- High sides to prevent splashing.
- Can connect through drain plug to form longer length.

Item Code	Specifications	Price
8'SF	1220mm W x 2440mm L	£275.00



SHEDDING HURDLE

Ideal for sheep handling systems, to divert the sheep into an adjacent pen, holding ewes or calf pens.

- Hot dip galvanized finish.
- Sheeted with galvanized steel to add extra strength
- Gate is opened via a top operated lever, allowing animals to be diverted into an adjacent pen.
- 10mm thick joining slotted lugs to fit 10mm to 18mm connecting pin for good strength.


Item Code	Specifications	Price
8'SG	2440mm L x 1000mm H	£214.50

3 WAY SHEDDING GATE

Making sorting sheep easier with our 3 way shedding gate.

- Hot dip galvanized finish.
- Black PVC Sheet
- Rubber grip handle
- Lock open and close feature
- Connection lugs to connect with our other items

Item Code	Specifications	Price
3WSG	600mm W x 1000mm H	£324.50



CONNECTION PINS

Ideal for joining hurdle, sheeted hurdle, gate in frame, cattle hurdle.

- Hot dip galvanized finish.
- Made up of solid steel
- All pin sizes are 875m high.

Item Code	Specifications	Price
10CP	10mm L x 875mm H	£3.30
12CP	12mm L x 875mm H	£3.85
16CP	16mm L x 875mm H	£7.70



ANTI - BACKING GATE

Ours anti- backing gate is a safe and easy way of keeping the sheep moving forward by allowing them to move forwards but not backwards.

- Hot dip galvanized finish.
- hot dip galvanized finish
- Spring loaded.
- Connection lugs on both sides.


Item Code	Specifications	Price
18"ABG	450mm L x 1000mm H	£99.00

Here at Fowrass we offer a wide range of lambing products that offer everything you need for a successful and productive lambing season. Our comprehensive range of lambing product includes hay basket, drinker hurdles, d- loop Hurdle, lamb adopter, connection pins, creep hurdle and drinking bowls etc. Talk to one of our sheep feeder specialists today who are on hand to offer advice and recommendations or to answer any queries you may have. It is advised that you order and collect if viable or to utilise our delivery service.

LAMBING EQUIPMENT

www.fowrass.com

LAMBING EQUIPMENT



DRINKER HURDLES

To be used in making lambing pen. 2 sheep can drink from 1 drinker hurdle.

- Hot dip galvanized finish.
- can be used with D- Loop Hurdles, Lugged hurdles and Heavy duty hurdles.
- Supply with plastic drinker bowl.
- Available in 5ft, 6ft sizes.
- Mounting to add steel/plastic drinker .
- Supply with 10mm connection pin



Item Code	Specifications	Price
5'DH	1525mm L x 970mm H	£45.10
6'DH	1830mm L x 970mm H	£47.30

LUGGED HURDLES

Ideal for sheep handling systems, making pens, holding ewes or calf pens.

- Hot dip galvanized finish.
- Available in 4ft, 5ft and 6ft.
- Made up of high quality steel.
- Length is measured from the Centre of lugs to the Centre of lugs.
- Supply with 10mm pin connection pin

Item Code	Specifications	Price
4'LH	1220mm L x 970mm H	£30.25
5'LH	1525mm L x 970mm H	£33.00
6'LH	1830mm L x 970mm H	£35.20



CREEP HURDLE

Ideal for lambing housing , ideal to supplement the feeds to lambs to give them a head start.

- Hot dip galvanized finish.
- the feed gap is 210mm.
- Made up of solid steel.
- Supply with 10mm connection pin.


Item Code	Specifications	Price
4'CH	1220mm L x 970mm H	£33.00

LAMB ADOPTER

Our 4ft lamb adopter helps to take the stress and struggle out of placing a lamb onto a ewe.

- Hot dip galvanized finish.
- Connection lugs on both ends.
- Adjustable neck spacings.
- Supply with 10mm connection pin.


Item Code	Specifications	Price
4'LA	1220mm L x 970mm H	£99.00




CLIPPING GATE

Ideal for shearing the sheep

- Hot dip galvanized finish.
- Wooden door in the middle
- 8ft long
- Strong design
- Spring loaded door



Item Code	Specifications	Price
4'CRH	1000mm H x 2440mm L	£192.50



D-LOOP HURDLE

Ideal for sheep handling systems, making pens, holding ewes or calf pens.


- Hot dip galvanized finish.
- Available in 4ft,5ft,6ft.
- Made up of high quality steel.
- Length is measured from the Centre of lugs to the Centre of lugs.

Item Code	Specifications	Price
4'LH	1220mm L x 970mm H	£27.50
5'LH	1525mm L x 970mm H	£30.25
6'LH	1830mm L x 970mm H	£33.00

HAY BASKET

Ideal for lambing housing , ideal to supplement the feeds to lambs to give them a head start.

- Hot dip galvanized finish.
- Galvanised steel
- can feed 2 pens at once
- A big time saver



Item Code	Specifications	Price
HB	1220mm L x 970mm H	£22.50



CONNECTION PINS

Ideal for joining hurdle, sheeted hurdle, gate in frame, cattle hurdle.

- Hot dip galvanized finish.
- Made up of solid steel
- All pin sizes are 875m high.


Item Code	Specifications	Price
10CP	10mm L x 875mm H	£3.30
12CP	12mm L x 875mm H	£3.85
16CP	16mm L x 875mm H	£7.70

Here at fowrass Specialise in the design and manufacture of quality, innovative livestock housing and handling equipment. Our experienced sales and engineering team will work directly with you to design the optimum layout in your new or existing farm buildings. We look at each yard individually and design a solution for you.

www.fowrass.com

**HOUSING
EQUIPMENT**





WALKTHROUGH FEEDER

Walkthrough feeder is a simple design to feed sheep, can be placed in the centre of a pen to separate into two sections, sheep can feed off both sides.

- Made up of 40x40 box section
- Attachment lugs on each end for pinning
- Adjustable (can be trimmed down by yourself)
- Can be bolted
- Supplied flatpack (assembled available)
- Sheeted with galvanised steel for extra strength
- End gates can be purchased additionally


Item Code	Specifications	Price
WTF	600mm x 2400mm	£242
HYBACK	600mm x 2400mm	£82.50
BOLT ON LUGS	10mm lugs bolt on	£3.30

SINGLE SIDED DIET FEEDER

Ideal for lambing housing, Ideal to supplement the feeds to lambs to give them a head start.

- Made up of 40x40 box section
- Can be bolted
- Adjustable (can be trimmed down by yourself)
- Supplied flatpack (assembled available)
- Sheeted with galvanised steel for extra strength
- Ideal for lambing housing, Ideal to supplement the feeds to lambs to give them a head start

Item Code	Specifications	Price
SSDF	300mm x 2400mm	£187





LAMBPROOF FEED BARRIER

Ideal for lambing housing, Ideal to supplement the feeds to lambs to give them a head start.

- Made up of 40x40 box section
- Can be bolted
- Supplied flatpack (assembled available)
- Galvanised tray


Item Code	Specifications	Price
LFB	300mm x 2400mm	£209



15 FT ADJUSTABLE FEED BARRIER WITH GATE

£330


- Ideal for sheep housing.
- Made up of 40x40 box section
- Adjustable 48mm round tube
- 320mm black PVC board skirting
- Hot dip galvanised
- Can be trim down any size if needed.
- Has Spring Lever Handle Mechanism



15 FT ADJUSTABLE FEED BARRIER

£275

- Ideal for sheep housing.
- Made up of 40x40 box section
- Adjustable 48mm round tube
- 320mm black PVC board skirting
- Hot dip galvanised
- Can be trim down any size if needed.



SHEEP FEED
BARRIER

SHEEP
FEED
BARRIER

A simple shed constructed with high-quality housing materials is ideal for achieving optimum production efficiency in sheep and goat farming. The flooring system should be sturdy, long-lasting, and designed to provide effective water drainage while allowing easy cleaning and maintenance. At Fowrass, we provide a complete flooring solution using plastic slats mounted on durable fibreglass beams. The floor height can also be customised by installing plastic support legs beneath the fibreglass beams to meet different farm requirements.

FLOORING
EQUIPMENT

www.fowrass.com


FLOORING
EQUIPMENT



PLASTIC SLATS

Our plastic sheep/calf slats are designed for the housing of either sheep and calves which helps to reduce lameness, bedding and labour cost.

- 59cm x 59.5cm (area covered)
- 70mm thick
- the gaps in the slats are 60mm x 12 mm
- available with steel or fibreglass bars
- has a weight capacity of 300kg
- Very easy to assemble
- Can be cut to exact size
- Easily disassembled for cleaning or can be scraped out




Item Code	Specifications	Price
2'PS	600mm W x 600mm L	£12.35

FIBRE GLASS BEAM

Our Fibre glass beams are designed to use along side the plastic sheep/calf slats. .

- available in white color.
- The fibre glass beams can be cut to the size you require.
- easy to install.
- Please advise the support clearance and approximate load-bearing requirements, and we will recommend the proper size for you.



Item Code	Specifications	Price
8'FGB	120mm H x 2240mm L	£19.80
10'FGB	120mm H x 3050mm L	£24.75
15'FGB	120mm H x 4572mm L	£37.40

PLASTIC LEGS

Ideal with plastic slats and fibre glass beams.

- Plastic leg gives a 90cm finished height for the sheep slats
- connects to the fibreglass beams used for sheep and calf slats.
- Included in the price is the White plastic leg and the green T piece.
- adjuster knob to adjust the height og legs from floor.
- Circular base with hole to bolt the legs to the ground.


Item Code	Specifications	Price
PL	900mm H x 48mm D	£13.20




ANGLE IRON

Ideal for use in slatted floor. angle iron bolted to the side wall gives hold to plastic slats from end points.

- Hot dip galvanized finish.
- can be supply in any custom size.
- for every 2ft distance there is a hole of 14mm to bolt.
- made up of high quality 50x50x5mm steel.



Item Code	Specifications	Price
10'AI	3050mm L x 50mm H	£33.00




MANURE SCRAPER MACHINE

Ideal for use under the slats to clean the muck

- 1 host tow 2 scrapers
- Material 304 stainless steel
- Scrapper width : 3m (can be trimmed to make needed size)
- Stainless steel main host 1.5kw motor
- Stainless steel steering wheel and traction rope with electric box

Item Code	Specifications	Price
MSM	Stainless Steel	£3300



www.fowrass.com

SLATS

SLATS

As a leader in the agricultural business for many years, We evaluate all of the products we sell and offer only the most superior livestock supplies available, Our mobile sheep handling equipment are designed to suit individual needs. When bought with a complete package can hold 250 sheep at a time.

HANDLING
EQUIPMENT

www.fowrass.com

**HANDLING
EQUIPMENT**



FETF69

COMPACT TRAILER PACKAGE


Ideal for use in field for handling sheep, day to day husbandry tasks. Light to move on the field.

- This package can hold up to 250 sheep.
- 10ft in length
- You can use the concertina hurdles to make side pens.
- You can place a footbath within the race section.
- A gathering pen can be made form the concertina hurdles included.
- The forcing pen can be constructed from the 2 x 10' sliding hurdles and 1 x 6' gate in frame.
- Sheep can be drafted and dosed through the race section of the trailer.
- This package includes the road legal kit making the trailer fully road worthy.
- Wheels & Tyres – 2 no. 205 /65 x 10 radial tyres on 4 stud 100mm pcd rims

Package includes

- 1 x compact trailer unit (inc 2 x 8ft extension panels, 1 x backing gate)
- 20 x concertina hurdles
- 1 x 6' gate in frame
- 2 x 10ft sliding hurdles
- 1 x road legal
- 1 x removable tow bar

Item Code	Specifications	Price
CT	450mm W x 3050mm L	£2398.00
CTP	450mm W x 3050mm L	£5335.00



DELUXE TRAILER PACKAGE

Ideal for use in field for handling sheep, day to day husbandry tasks.

- This package can hold up to 250 sheep.
- It has wide trenching race built into the trailer.
- 10ft in length
- You can use the concertina hurdles to make side pens.
- You can place a footbath within the race section.
- A gathering pen can be made form the concertina hurdles included.
- The forcing pen can be constructed from the 2 x 10' sliding hurdles and 1 x 6' gate in frame.
- Sheep can be drafted and dosed through the race section of the trailer.
- This package includes the road legal kit making the trailer fully road worthy.

- Package includes
- 1 x deluxe trailer unit (1 x backing gate)
 - 20 x concertina hurdles
 - 1 x 6' gate in frame
 - 2 x 10ft sliding hurdles
 - 1 x road legal
 - 1 x removable tow bar

FETF69



Item Code	Specifications	Price
DT	1400mm W x 3660mm L	£3850.00
DTP	1400mm W x 3660mm L	£6787.00



FETF 278SH

WATER BOWSER AND INTEGRATED TROUGH

The ideal solution for when mains water is not available.

- The 2000 Litre Bowser's Polyethylene moulded tank, elliptical in section, with internal anti surge baffle & fitted with an 18" lockable outer hinged manlid cover, inner sealed vented manlid. 2" front draw off, 2 rear outlet connections. Tank secured to chassis with 2 ratchet straps.
- Steel drinker bowl mounted to the rear of chasis.

Item Code	Specifications	Price
WBIT	1500mm W x 1650mm H x 2440mm L	£2145.00

COMPACT TRAILER PACKAGE





COMPACT TRAILER PACKAGE

ALUMINIUM CONCERTINA HURDLES

Ideal for use in with the compact trailers, making pens, in fields making gathering pens.

- Made up of Aluminium
- 3 bracing for good strength.
- attractive design.
- lighter in weight.

Item Code	Specifications	Price
ALH	985mm H x 2250mm L	£126.50



ALUMINIUM SHEETED HURDLE


- T6 Grade Aluminium
- 6mm Black PVC Plastic Sheeted
- Attractive Design
- Lighter in Weight

Item Code	Specifications	Price
2'ALG	2250mm L x 985mm H	£214.50

ALUMINIUM GATE

- T6 Grade Aluminium
- Oval Horizontal Railing
- Spring Operated Self Closing Gate
- Attractive Design
- Lighter in Weight

Item Code	Specifications	Price
2'ALG	600mm L x 985mm H	£176
3'ALG	915mm L x 985mm H	£198
5'ALG	1525mm L x 985mm H	£242




CONCERTINA HURDLES

Ideal for use in with the compact trailers, making pens, in fields making gathering pens.

- Hot dip galvanized finish.
- Made up of high quality steel.
- attractive design.

Item Code	Specifications	Price
CH	985mm H x 2250mm L	£93.50





SLIDING HURDLES

Ideal for use in with the compact trailers, making pens, in fields making gathering pens.

- hot dip galvanised.
- Made up of high quality steel.
- attractive design

Item Code	Specifications	Price
SLH	1000mm H x 3000mm L	£93.50



EXTENSION PANEL

Ideal for joining race and make it longer


- Hot dip galvanized finish.
- Made up of solid steel
- made up of stockboard.

Item Code	Specifications	Price
8'EP	900mm H x 2440mm L	£99.00

FIELD GATE

- Heavy Duty
- Hot Dip Galvanised
- Spring Loaded Lock
- Box Hang Style
- 2 X 19mm Adjustable Eyes


Item Code	Specifications	Price
12'FG	3660mm L x 985mm H	£132
14'FG	4270mm L x 985mm H	£154
15'FG	4572mm L x 985mm H	£165



8 RAILED HEAVY DUTY SHEEP HURDLE

- Heavy Duty
- Hot Dip Galvanised
- 8 Railed
- 40 X 40 Box Section
- 32mm Infill Rails

Item Code	Specifications	Price
10'8RHDH	3050mm L x 1000mm H	£104.5





DELUXE
TRAILER PACKAGE

DELUXE
TRAILER
PACKAGE



LAMB CREEP SHELTER

- Ideal for use in fields for feeding lambs.
- features full length adjustable feed front.
 - Fully galvanised
 - Supplied with 4 sand hopper wheels
 - Large feed hopper

FETF
238A

Item Code	Specifications	Price
4'LCRS	1220mm W x 1220 L	£495.00
8'LCRS	1220mm W x 2440 L	£715.00

LAMB WEIGH SCALES 3 WAY SHEDDING

Ideal for weighing lambs, sheep.

- Hot dip galvanized finish.
- 1000mm high
- Digital weight head
- Chargable so can be used in a mobile systems
- Waterproof
- 3 way drafting



Item Code	Specifications	Price
3WWS	560mm W x 1030mm L	£1155.00



CREEP FEEDER

Ideal for use in fields for feeding lambs from both sides.

- Hot dip galvanized finish.
- Galvanised steel
- can feed from 2 sides at once
- supplied with 4 rubber wheels.


Item Code	Specifications	Price
8'CRF	450mm W x 970mm H	£495.00

SHEEP HANDLER

Ideal for sheep vaccination, feeding minerals.

- Hot dip galvanised Frame
- Heavy duty mesh floor
- Rubber grip cloth for extra grip to hold the sheep
- 12mm black pvc board
- Easy operate 2way Gated ramp on one side
- Standard ramp on the other side
- 1 x black waterproof Cushion
- 2 x heavy duty plastic tray
- 1 x 3 set cup holder
- 1 x hanging bar
- 1 x frame with hooks and for holding cup, plastic tray & hanging bar

FETF71




Item Code	Specifications	Price
SH	600mm W x 2440mm L	£2450.00

Proper housing which is conducive to good health, comfort and protection from inclement weather and which would enable the cattles to utilize their genetic ability and feed for optimal production, Different types of enterprises such as dairy, piggery, sheep and goat units need different building design. So we at fowrass make sure the design should be prepared to meet the needs of a particular enterprise. The furnishings are made to the latest standards. Animal health and well-being are paramount.

CATTLE HOUSING EQUIPMENT

www.fowrass.com

CATTLE HOUSING EQUIPMENT



CALVING GATE



Our calving gates are bespoke made to fit your needs, ensuring they are a robust sturdy design while still being safe and easy to use for the cattle and operator.

- Hot dip galvanized finish.
- Internal calving & operation gate is suitable for use on both sides
- Made up of high quality steel.



Item Code	Specifications	Price
10'CG	1500mm H x 3000mm L	£715.00

CATTLE HURDLE

Cattle Hurdles are robust and provide safety for operators and cattle.

- Hot dip galvanized finish.
- Robust hurdles for race and penning.
- Suitable for a wide range of animals

Item Code	Specifications	Price
10'CAH	1500mm H x 3000mm L	£170.50



ADJUSTABLE HEAVY RAIL GATE

The Adjustable gates are comprises of two parts, the Primary and the Insert, which assembles telescopically to create the desired length gate.

- Hot dip Galvanised.
- Height is 1200MM


Item Code	Specifications	Price
300AHRP	Primary 300mm L	£86.90
700AHRP	Primary 700mm L	£93.50
1700AHRP	Primary 1700mm L	£122.10
2700AHRP	Primary 2700mm L	£158.40
3700AHRP	Primary 3700mm L	£195.80
4700AHRP	Primary 4700mm L	£233.20
1300AHRI	Insert 1300mm L	£95.70

10FT CATTLE GATE IN FRAME

The Cattle Rail Range was designed to provide cost efficient, high strength components that have excellent blanking effect in drafting and forcing areas and durability in receiving and holding yards.

- Hot dip galvanized finish.
- Made up of solid steel
- Gate height is 2000mm.

Item Code	Specifications	Price
10'CGF	2000mm H x 3000mm L	£330.00



SLIDING GATE

Ideal for use in cattle race.

- Fits perfectly in-line with other handling equipment
- Quick grab handle to operate slide gate
- hot dip galvanised finish




Item Code	Specifications	Price
SLG	850mm W x 2000mm H	£495.00

CATTLE CURVED PANELS

Tough Enough for Cattle, the fowrass Curved Panel is part of our number one selling line of cattle panels and accessories.

- hot dip galvanised finish.
- covered with stockboard.
- tall legs to fix these on ground.
- anti backing push gate.
- spring operated lever to close and open the gate.



Item Code	Specifications	Price
CCP	DIA 4800mm	£3300.00



CATTLE VET CAGE

Vet Cage provides a safe space for veterinarians to perform their important work. Featuring sheeted doors to prevent cattle distraction.

- Hot dip galvanized finish.
- sheeted with stockboard.
- Made up of high quality steel.
- The Vet Cage can also be used as a pass-through for operators.


Item Code	Specifications	Price
CVC	850mm W x 2000mm H	£550.00

CALF HURDLE

Ideal for holding calves, making pens.

- Hot dip galvanized finish.
- Made up of high quality steel.

Item Code	Specifications	Price
10'CAH	1200mm H x 3000mm L	£104.50




CATTLE GATE IN FRAME

The Cattle Rail Range was designed to provide cost efficient, high strength components that have excellent blanking effect in drafting and forcing areas and durability in receiving and holding yards.

- Hot dip galvanized finish.
- 1500mm high gate

Item Code	Specifications	Price
5'CAGIF	1500 mm L x 2000mm H	£200.00
3'CAGF	915mm L x 2000mm H	£198
5'CAGF	1525mm L x 2000mm H	£242



CONNECTION PIN

Ideal for joining pens ,

- Hot dip galvanized finish.
- Made up of solid steel
- pins are 1100mm high

Item Code	Specifications	Price
20CP	20mm round D x 1100mm H	£12.10



CATTLE STOCKBOARD PANELS

Ideal for making straight race.

- Hot dip galvanized finish.
- covered with stockboard.


Item Code	Specifications	Price
10'CSP	1800mm H x 3000mm L	£220.00


CALF HURDLE WITH GATE

Ideal for joining hurdle, sheeted hurdle, gate in frame, cattle hurdle.

- Hot dip galvanized finish.
- Made up of solid steel
- Operated with spring handle
- Gate opening is 900mm

Item Code	Specifications	Price
10CAHG	1200mm H x 3000mm L	£132.00






AGRISHED

Our Agri-Shelter steel building kits are the perfect choice for customers looking for shelter to protect their livestock.

- Galvanised steel
- 12mm thick Stockboard panels
- supplied with 1 x 2m long plastic trough, 1 x static cow brush and 1x cattle drinking bowl.
- From the front the height is 8ft and at the rear it is 6ft high from the ground.
- ventilated fins at the back to maintain air flow.
- Supplied flat pack
- Multiple units can be added.
- first unit cost £3200

Item Code	Specifications	Price
AS	3660mm W x 6100mm L	£2750.00



HAPPY CALF HOUSE

Our Happy Calf House steel building kits are the perfect choice for customers looking for shelter to protect their livestock.

- fully hot dip galvanised.
- Recycled 12mm plastic sheet covered all sides.
- adjustable feed barrier at front 12ft long with 2ft access gate.
- Supplied with 1 x 2m long plastic trough, 1 x static cow brush and 1x cattle drinking bowl and teat feeding facility.
- From the front the height is 8ft and at the rear it is 6ft high from the ground.
- All sides have ventilation opening, there are 2 ventilated fins at the back specially designed to maintain airflow.
- Supplied with 2 x 8ft heavy duty hurdle and 4 x 16mm pins to make an associated open pen.
- Multiple units can be added.
- first unit cost £3500
- Will be supplied flat pack.

Item Code	Specifications	Price
HCH	3660mm W x 6100mm L	£3080.00




www.fowrass.com

HAPPY CALF HOUSE



HAPPY CALF HOUSE

FETF70




FIXED SHEEP HANDLING SYSTEM

Fixed sheep handling system is designed and erected to suit the requirements of the individual site. This system have a combined capacity in the race, forcing pen, and gathering pen for holding a minimum of 100 adult sheep and have the ability to fit plastic footbath in the race. The handling system is made up of all good quality metal in hot dip galvanised finished.

sr. no.	descriptions	qnty.
1	8ft heavy duty hurdle	18
2	6ft heavy duty hurdle	1
3	8ft sheeted hurdle	2
4	8ft gate in frame	4
5	18 inches guillotine gate	1
6	18 inches 2-way shedding gate	1
7	16mm connection pins	24
8	post	3

Item Code	Specifications	Price
FHS	Can hold min. 100 sheep	£3025.00

FETF 243A




SHEEP RACE

Standalone race for sheep handling. It includes a minimum: 1 guillotine gate, 1 stop gate or drafting gate, sheeted hurdles and coupling rods. race is 4.8m total length. fully compatible with any handling system. made up of high quality steel in hot dip galvanised finish.

sr. no.	descriptions	qnty.
1	8ft sheeted hurdle	4
2	18 inches 2-way shedding gate	1
3	18 inches guillotine gate	1
4	18 inches u frame	1
5	16mm connection pins	6

Item Code	Specifications	Price
SH	4.8m length	£1375.00

FETF57



FIXED CATTLE HANDLING SYSTEM

A corral system which provides a safe and effective holding area and race-way handling facility to attach to a cattle crush. The system is designed and erected to suit the requirements of the individual site. it consist of two fixed metal holding pens, one circular metal forcing pen between 4.8m dia with sides covered in a stockboard material to prevent cattle from seeing to the side, leading into a straight race. 3 in length with the sides of the race covered with stockboard. A sliding closure gate is fitted at both ends of the race. The race must lead to a crush. one can make it fixed onto the ground either by concreting the supporting post into the ground or by bolting into the existing concrete floor.


sr. no.	descriptions	qnty.
1	4.8m circular pen	1
2	8ft cattle hurdle	1
3	10ft cattle hurdle	8
4	10ft cattle gate in frame	2
5	cattle vet cage	1
6	10ft cattle stockboard panel	2
7	sliding gate	2
8	10ft hurdle with entry/exit gate	2
9	5ft gate in frame	1
10	16mm connection pins	20
11	post	3

Item Code	Specifications	Price
FCHS	4.8m dia circular pen	£6600.00

FIXED CATTLE HANDLING SYSTEM



FIXED CATTLE HANDLING SYSTEM



5MP PTZ SECURITY CAMERA OUTDOOR, 20X OPTICAL ZOOM CCTV CAMERA, 2.4G

Fowrass wireless security camera With 355° Pan 120° Tilt and , you can control the rotation of the wifi camera to watch every angle by your smartphone remotely.

It detect all motions, or set humanoid detect only! Custom motion area, motion sensitivity and motion time, Significantly reduce false alarms! it supports to alarm you by Alert sound, email with snapshot, and push text notifications via the free Camhi/Camhipro app, record to Micro SD card(up to 128GB, NOT include).

It supports 24/7 continuous, motion-triggered and scheduled recording. Videos of all those 3 recording types can be saved in the micro SD card (up to 256GB, not included), Reolink NVR or FTP server. Choose a way you like and enjoy customized security

It has built-in microphone and speaker, features with 2-way audio and remote viewing. it supports online viewing and playback remotely anywhere anytime! So, you can communicate with people in the monitor area when you're away from home. When you receive an alert, you can give a warning to get rid of the danger.

4K PTZ CCTV CAMERA, SECURITY CAMERA, 36X HYBRID ZOOM 2.4/5 GHZ DUAL-BAND WIFI

Fowrass Newest Dual-band Security WiFi PTZ camera with 36X zoom(18X Optical Zoom + 18X Digital Zoom) and auto-focus lens, allowing you to clearly observe more fine details.

It can keep track of the moving person/ vehicle/ pet automatically. , thereby reducing blind spots of vision. When the detected humanoid enters the monitoring area, the security camera will automatically track until the humanoid goes out of the monitoring area. PS: call preset position 92 to turn on the auto tracking

It supports Micro SD card storage and 24/7 continuous recording. If you install a SD card(maximum 128GB, not included), videos will be recorded and saved to your SD card. You also can upload the recording to the cloud, No need to worry about the camera being stolen or the data being lost(Cloud need pay). it works with Android/iOS phone and tablet, you can connect camera to multiple devices

It has built-in microphone and speaker, features with 2-way audio and remote viewing. it supports online viewing and playback remotely anywhere anytime! So, you can communicate with people in the monitor area when you're away from home. When you receive an alert, you can give a warning to get rid of the danger.

Item Code	Specifications	Price
5MP PTZ	20x Optical Zoom	£297
4K PTZ	36x Zoom (18x Optical + 18x Digital)	£473

Setup Fowrass PTZ WiFi Camera on your phone:

- 1. Download CamHi/ CamHipro app;**
Please download CamHi/CamHipro app from Google Market or App store, and enable related authorization such as Notification Push, Microphone, Speaker, etc.
- 2. Power on the camera and connect Ethernet Cable;**
Please make sure the WiFi PTZ IP camera is powered on and access to internet, please check the indicator of the LAN cable, it should be on or blink.
- 3. Search Camera on CamHi/ CamHipro app;**
Please make sure your Android/iPhone is connected with the same internet with the PTZ IP camera, and click "Search Camera from LAN" to add the PTZ IP camera on your phone. Then you can view and setup the outdoor camera.



ROTATING COW BRUSH

Rotating Cow Brush is for cow scratching and comfort the cow. That help increase production of milk. The main and most important part is the cylindrical cow brush, which installed on the steel core of the machine. For this important part, we always use high quality synthetic fiber. Rotating cow brush is more popular than swinging brush.

Specifications	
Bristle/Filament Material	PP / Nylon / PBT
Specification	Dia. 500mm X Length 600mm
Motor	220V / 110V / 240V / 120V
Frequency	50HZ / 60HZ
Application	Cow Body Cleaning / Cow Scratching / Cow Comfort



Item Code	Specifications	Price
RCB	Dia 500mm x Length 600mm	£1045



STATIC COW BRUSH

The Cow Brush is designed to withstand the most rigorous use from cattle and various other large livestock. The robust design and durable materials provide the strength and protection required to last.

Very versatile application around the building. The brush can be safely and easily mounted to concrete walls, pillars and RSJs.

Item Code	Specifications	Price
SCB	880mm H x 850mm L	£165



AUTOMATIC LAMB MILK FEEDER

The lamb milk feeder is mainly used for lamb feeding, and has the functions of stirring milk powder and feeding with separate mouths. It can make lambs supplement fortified nutrition in the early stage, improve the health level of lambs, and improve the survival rate.

- Adjustable milk/water ratio for desired concentration as animals age
- Daily cleaning takes about 10 minutes
- When used on our farm, nipples lasted for 100 lambs

HOW TO USE

Unit attaches to a hose (use a female to female hose adaptor to connect the hose to the feeder) for continuous water access (can be used with a pump). Milk replacer is stored in a hopper above a mixing chamber. Mixture flows partway through tubes via gravity. Lambs/kids sucking action pumps the milk from the reservoir to the nipples.

Nipples are not pre-slit. Hole size depends on the age and vitality of the lambs. To make the hole, start small (14 gauge needle or pinch the end and put a small slit in the end with a pair of scissors) then enlarge if needed if the lambs struggle to get milk flow. Too large of a hole and there is a risk of the lamb breathing in the milk.

PRECAUTIONS

- Spoilage can occur in warm weather.
- Warm temperatures may cause milk to froth which covers the sensor. This delays the mixing of a fresh batch.
- Must be kept from freezing. Some build an insulated box and/or install a heat lamp.



Advantage	Easy to operate
Type	Automatic
Power	220V/1.7KW
Tank capacity	10-12 L
Milk output	2-3 L/min
Temperature control interval	0-40°C
Outlet quantity	6

Item Code	ALMF
Specifications	Milk Output 2-3 L/Min
Price	£1650



STATIC SHEEP CONVEYER

The V-Shaped sheep conveyor is a concept that easily helps the farmer or farm worker to have better control of the animal. This in turn ensures that you will be more productive when dosing your sheep. By adding this machine into your existing race, the sheep can walk into the v-shaped conveyor, the conveyor will gently lift the sheep from the ground, lying on his ribs with his feet not touching the ground. Now the sheep is calm and the worker can thus easily perform his task at hand. One can easily turn the sheep around by grabbing the front of the sheep gently and the moving conveyor will do the rest. The speed can be adjusted and it can be stopped by stepping on the beam at your feet and it will start again once you let go of the foot beam.

Specifications

- 3 phase 400 Volt
- Capacity for large production upto 400 / hour
- Capacity for large production upto 400 / hour
- 2 Off 1.1 KW motors total 2.2 kW 3 phase 400 Volt
- Variable and controllable speed Frequency controlled.
- Galvanized Mild steel frame with Stainless steel Mechanicals where possible. 360 diameter 500 mm long hot galvanized driving drums
- 1.5 x 304 Stainless steel Top covers
- Low Voltage control switching
- 3000 mm length conveyor x 1350 mm wide x 1265 height overall
- Sturdy foundations bolted - modular and free standing complete adjustable - supplied as complete unit
- V shape Adjustable for easy settings to local conditions breed and species



Item Code	STSC
Specifications	3000mm long
Price	£13200

MISCELLANEOUS ITEMS

FOWRASS
FABRICATION



PLASTIC DRINKER BOWL

Ideal water bowl for your dogs, goats, outdoor cats, pigs, calves, horses, cows, sheep, etc.

Item Code	Specifications	Price
PDB	240mm L x 235mm W x 100mm H	£20.00



STEEL DRINKER BOWL

Ideal water bowl for your dogs, goats, outdoor cats, pigs, calves, horses, cows, sheep, etc.

Item Code	Specifications	Price
SDB	270mm L x 255mm W x 100mm H	£24.20



25x 20x 25 MDPE TEE

Ideal connector to use in connecting hose pipe to drinking bowls.

Item Code	Specifications	Price
TEE	25x20x25	£11.00



CATTLE DRINKER BOWLS

Ideal water bowl for your dogs, goats, outdoor cats, pigs, calves, horses, cows, sheep, etc.

Item Code	Specifications	Price
SDB	280mm L x 265mm W x 110mm H	£26.40



TEE - 13MM TRIPLE BARB

Ideal for connecting hose pipe together

Item Code	Specifications	Price
13TEE	13mm	£2.20



LIVESTOCK BUILDING FANS

Our livestock fan is a simple easy way of keeping livestock cool during summer months

Item Code	Specifications	Price
4'LCRS	600mm W x 600mm L	£330.00
4'LCRS	1000mm W x 1000mm L	£495.00
4'LCRS	1200mm W x 1200mm L	£550.00



FLEXIBLE STEEL HOSE PIPE

Ideal for connecting drinking water bowl

Item Code	Specifications	Price
SHP	915mm long	£2.75



BOTTLE JACK

Ideal jack for our compact trailer and deluxe trailer.

Item Code	Specifications	Price
2TJ	2 TON	£22.00
5TJ	5 TON	£33.00



FETF
313SH

HEAT LAMP FOR LAMBS

- Have a minimum of 2 heat settings in addition to the off setting
- Comes with one infra-red bulb (250 watts)

Item Code	Specifications	Price
HL	2 Heat Settings	£66



FEEDING TROUGH

Plastic animal trough provides saving for industrial animal farms, it can also be used as plastic water trough.

Item Code	Specifications	Price
1000PT	315mm W x 175mm H x 1000mm L	£16.50
2000PT	315mm W x 175mm H x 1000mm L	£33.00



WEIGHING CELLS

Suitable for putting under your cattle crush or sheep crate. These can be used in new set ups or modifying an old system you already have.

Item Code	Specifications	Price
SG8	Capable of weighing upto 2000kgs	£660.00

FOWRASS
FABRICATION

2026 SHOWS & EVENTS



National Sheep Association

28th July, 2026 | 9 am
Three Counties Showground,
Malvern



Royal Highland Show

18th - 21st June, 2026



Great Yorkshire Show

14th - 17th July, 2026

Skelton Show

Skelton Show

Saturday, 4th July, 2026



NSA Scotsheep

Wednesday, 10th June, 2026
Wedderlie Farm, Gordon,
Berwickshire, TD3 6NW



FOWRASS FABRICATION

SHEEP & CATTLE HANDLING EQUIPMENT

We design and manufacture steel framed agricultural buildings.
A one stop solution for your agricultural building and furnishing for
cattle and sheep building at very competitive prices, and more
importantly, at a high standard to ensure you get value for money.

 Fowrass Farm, Laithes,
Penrith, Cumbria, CA11 0AN

 www.fowrass.com

 07887765308

 sales@fowrass.com

